

Cambridge IGCSE™

PHYSICS

Paper 3 Core Theory MARK SCHEME Maximum Mark: 80 0625/32 October/November 2020

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2020 series for most Cambridge IGCSE[™], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 <u>'List rule' guidance</u>

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards *n*.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 <u>Calculation specific guidance</u>

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 <u>Guidance for chemical equations</u>

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

- B marks are independent marks, which do not depend on other marks. For a B mark to be scored, the point to which it refers must be seen specifically in the candidate's answer.
- M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.
- C marks are compensatory marks in general applicable to numerical questions. These can be scored even if the point to which they refer are not written down by the candidate, **provided subsequent working gives evidence that they must have known it.** For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct substitution or working which shows he knew the equation, then the C mark is scored. A C mark is not awarded if a candidate makes two points which contradict each other. Points which are wrong but irrelevant are ignored.

0625/32	Cambridge IGCSE – Mark Scheme PUBLISHED	October/November 2020
A marks	A marks are accuracy or answer marks which either depend on an M mark, or which are one of the mark to be scored. A marks are commonly awarded for final answers to numerical questions. If a fi eligible for A marks, is correct, with the correct unit and an acceptable number of significant figures question are awarded. However, an A mark following an M mark is a dependent mark and is only awarded if the M mark h	nal numerical answer, s, all the marks for that
Brackets ()	Brackets around words or units in the mark scheme are intended to indicate wording used to clarify marks do not depend on seeing the words or units in brackets, e.g. 10 (J) means that the mark is so the unit given. However, if a word in brackets is replaced with another word that is clearly wrong the awarded.	cored for 10, regardless of
Underlining	Underlining indicates that this must be seen in the answer offered, or something very similar.	
OR / or	This indicates alternative answers, any one of which is satisfactory for scoring the marks.	
eeoo.	This means "each error or omission".	
owtte.	This means "or words to that effect".	
Ignore	This indicates that something which is not correct or irrelevant i.e. it is not a contradiction (CON) is does not incur a penalty.	to be disregarded and
Spelling	Be generous about spelling and use of English. If an answer can be understood to mean what we do not allow ambiguities, e.g. spelling which suggests confusion between reflection / refraction / di transistor / transformer.	
Not/NOT	This indicates that an incorrect answer is not to be disregarded, but cancels another otherwise cor the candidate, i.e. right plus wrong penalty applies.	rect alternative offered by
ecf	meaning "error carried forward" is mainly applicable to numerical questions, but may in particular or non-numerical questions. This indicates that if a candidate has made an earlier mistake and has ca forward to subsequent stages of working, marks indicated by ecf may be awarded, provided the su correct, bearing in mind the earlier mistake. This prevents a candidate from being penalised more mistake, but only applies to marks annotated ecf in the mark scheme. <u>Always annotate ecf if app</u>	arried an incorrect value ibsequent working is than once for a particular
сао	correct answer only	

0625/32	Cambridge IGCSE – Mark Scheme PUBLISHED	October/November 2020
Significant Figures	Answers are normally acceptable to any number of significant figures ≥ 2 . Any exceptions to this general rule will be specified in the mark scheme. Annotate with further) sig. fig. error in a single question is not penalised; annotate with SF SF. It is no for answers, which are exact to 1 s.f	
Units	Deduct one mark for each incorrect or missing unit from an answer that would otherwise answer: maximum 1 per question . No deduction is incurred if the unit is missing from in the working. Annotate with U. For more than one unit error in a question, annotate UU to indicate an error which has Unless listed here or stated in the mark scheme for the question, do not accept derived acceptable. The following are acceptable alternatives: Nm for J, Js ⁻¹ or Nms ⁻¹ for W, N acceptable for both momentum and impulse. Beware : J NOT acceptable for moments. Condone wrong use of upper and lower case symbols, e.g. pA for Pa.	n the final answer but is shown correctly not been penalised. d units e.g. kg m s ⁻² for N is NOT
Arithmetic errors	If the only error in arriving at a final answer is clearly an arithmetic one, then the mark the maximum mark. Regard a power-of-ten error as an arithmetic error unless otherwise specified in the map penalise the same POT error more than once. Annotate POT POT. However if the pow omission or inclusion of g (= 10 N / kg) this rule does not apply. The use of a wrong SI prefix in the final answer is counted as a power-of-ten error rath	ark scheme. Annotate with POT. Do not ver-of-ten error is due to the wrong
Transcription errors	If the only error in arriving at a final answer is because previously calculated data or th but used correctly, then for that part question the mark will be one less than the maxim	
Fractions	Allow these only where specified in the mark scheme; they are a form of sig. fig. error; a sig. fig. error and a fraction is used in the same question, the second answer may sti	
Crossed out	Work which has been crossed out and not replaced but can easily be read , should be out. Look to see if it has been replaced on a blank page or another part of the same part	
Use of NR	(# or / key on the keyboard). Use this if the answer space for a question is completely figures or symbols.	blank or contains no readable words,

RM Assessor 3

Please note that 0625 papers are now marked using RM assessor3. Videos and documents are available by using the Help icon in the top right hand cornet when logged in or from the RM support site. Familiarisation mode is also available on RM Assessor 3. The tool bar is now located on the left of the screen and you drag items used frequently to the right hand side of the tool bar. Note – the tool bar won't be visible until you have scripts to mark rather than just browse.

© UCLES 2020

RM Assessor3 annotations:

annotation	suggested use
tick	mark awarded (note the ticks are added up next to the tick annotation, check the total you enter agrees)
cross	no mark awarded
SEEN	indicates page seen
BOD	benefit of doubt given
NBOD	no benefit of doubt given
on page comment	gives a text box to write comment –much easier to use than in the previous version of RM assessor
ECF	error carried forward
^	omission mark
?	unclear
U UU	unit penalty applied unit penalty not applied because already applied earlier in same question

annotation	suggested use
wavy line (horizontal or vertical)	used to highlight a particular point
CON	contradiction
NAQ	not answered question
PD	poor diagram
SF SFSF	error in number of significant figures significant figure error not penalized.
POT POT POT	power-of-ten error POT penalty not applied as already applied
TV	too vague
1	ignore
SC	special case

Guidance on the expression : words, symbols or numbers

Accept numbers if, in the context of the question, that number can reasonably be a value for the quantity in the equation/formula. Accept alternative symbols that can reasonably represent the quantity in the equation but not if there is confusion with another quantity that is represented by that symbol in the syllabus e.g. Q is often acceptable for thermal energy but not if, as has happened, if there is confusion with charge.

Linking pages to other questions RM Assessor3

It is not unusual for candidates to write all or parts of answers to question outside the normal marking zone for that question. It is absolutely vital that such work is marked. Examiners need to follow up cases where candidates reach the end of the answer zone in the middle of a sentence or cross out all the work that fills the answer zone, or use an asterisk or arrowed line or otherwise to suggest that an answer is completed or replaced elsewhere on the paper.

If all the extra work is clearly visible in the next marking zone there is no need to link it.

In all other cases where there is extra work that cannot be seen in the normal marking zone, examiners will need to use full screen mode to find the page which needs linking to a particular question and click 'link to question'. The page is then automatically linked to that question and will appear below the zone for that question when marked.

Blank Pages and Blank AOs

There are no blank pages. Annotate with "seen" from toolbar that you have seen any blank Additional Objects.

Annotation

To increase marking transparency, reduce the number of enquiries about results and assist team leaders, the following is mandatory :

- For **all** questions with two or more marks, examiners should tick to indicate where each credit is awarded.
- For questions with one mark, examiners do not need to annotate the script to indicate that credit is awarded.
- Any text annotation or annotation in a comment box should never contain -1 or allow a possible misinterpretation that negative marking was applied.

Normally place the ticks close to where the mark is scored.

Question	Answer	Marks
1(a)(i)	20.0 – (2.5 + 16.0)	C1
	1.5 (N)	A1
	(vertically) down	B1
1(a)(ii)	(upwards force) increases	B1
	increases air resistance	B1
1(b)(i)	6.5 (s)	B1
(b)(ii)	(resultant force is) zero	B1
	(because the) speed (of parachute) is constant / steady / uniform	B1
1(b)(iii)	(dist. travelled =) area under line (of speed-time graph)	C1
	45 x 10	C1
	450 (m)	A1

Question	Answer	Marks
2(a)	(Moment) = $F \times d$	C1
	200×50	C1
	10 000 (Ncm)	A1
2(b)	use a longer spanner / move force to end of spanner owtte	B1
	(to) increase the distance (from force to wheel nut or pivot) OR distance (from force to wheel nut or pivot) is greater than 50 cm	B1
2(c)	(work done is the) same (as)	B1
	(power produced is) greater (than)	B1

Question	Answer	Marks
3(a)(i)	755	B1
	mm Hg	B1
3(a)(ii)	vacuum	B1
3(b)	$(P =) F \div A$	C1
	38 ÷ 200	C1
	0.19 (N / cm ²)	A1

Question	Answer	Marks
4(a)	any three from: high speed random movement random arrangement large spaces / gaps between molecules colliding (with each other / walls of container)	B3
4(b)	(pressure) increases	B1
	AND any two from: (because) molecules move faster collide more frequently (with walls of container) collide with greater force (with walls of container)	B2

Question	Answer	Marks
5(a)	high(er / est) energy molecules	B1
	(near the surface) escape (from surface)	B1
5(b)	(temperature) decreases	B1
	AND any two from: higher energy molecules have escaped (leaving) lower energy particles behind (so) average energy of remaining molecules is lower	B2

Question	Answer	Marks
6(a)	air above candle is heated / warms	B1
	(air becomes) less dense	C1
	less dense air rises (up tube A)	A1
6(b)	means of heating one end of rods	B1
	means of identifying movement of thermal energy along rod	B1
	method of comparing materials	B1

Question	Answer	Marks
7(a)	movement (of coils / spring) parallel	B1
	to the direction wave / it / disturbance travels	B1
7(b)	5.2 (cm)	B1
7(c)	number of waves (passing a point OR sent out)	B1
	(in) one second / unit time.	B1
7(d)	speed = distance ÷ time	C1
	25 ÷ 0.2(0)	C1
	125 (cm / s)	A1

Question	Answer	Marks
8(a)	8.5 to 9.1 squares counted	C1
	4.5 (cm)	A1
8(b)(i)	focal length marked from centre of lens	B1
	to point where ray parallel to axis is refracted by lens to cross axis	B1
8(b)(ii)	inverted (third word circled)	B1
	diminished (5 th / last word circled)	B1

Question	Answer	Marks
9(a)	sample A magnetic and magnetised	B2
	sample B magnetic but not magnetised	
	sample c non-magnetic	
9(b)	use (same pole) of (permanent) magnet stroke bar (repeatedly) in same / one direction owtte	B2
	OR	
	place (bar / steel) in coil / solenoid current in coil OR connect coil to battery / power supply	
9(c)	rods repel OR move apart / away	B1
	like / same (type of) charges on both rods	B1

Question	Answer	Marks
10(a)(i)	(large current produces large) heating effect OR overheating OR (could) cause fire.	B1
10(a)(ii)	fuse melts	B1
	breaks circuit OR stops current in circuit	B1
10(a)(iii)	(metal case / kettle) would still be live OR connected to 240 V / mains (when fuse has melted)	B1
10(b)	5 A	B1
10(c)	$(R =) V \div I \text{ OR } V = IR$	C1
	12 ÷ 2.5	C1
	4.8 (Ω)	A1

Question	Answer	Marks
11(a)	$V_{\rm p} \div V_{\rm s} = N_{\rm p} \div N_{\rm s}$	C1
	$230 \div V_{\rm s} = 300 \div 30$	C1
	23 (V)	A1
11(b)	(soft) iron	B1
11(c)	Any two from: less energy or power wasted OR less heating(of wires) OR more efficient lower current (in transmission wires) can use thinner (transmission) wires / cables fewer power stations needed (so) lower cost for cable and supporting pylons transmit (energy over) longer distances (without drop in power)	B2

Question	Answer	Marks		
12(a)	rocks, buildings, (natural) radon, air, cosmic rays, sun, food, drink	B1		
12(b)(i)	evidence of using graph	C1		
	TWO pairs of coordinates seen	C1		
	7.5 (min)	A1		
12(b)(ii)	Use a lead(-lined) box / container	B1		